


Technical Sheet overlays PROFLEX EU standards PN-EN 1177:2019 PZH CERTIFICATE

Flexible overlays made of SBR granules are the highest quality product intended for playgrounds, sports facilities and outdoor gyms. Our products are characterized by high resistance to weather conditions and UV radiation. **Proflex SBR** overlays are made using a vulcanizing press, from SBR rubber granules joined with colored polyurethane glue.

DIMENSIONS

| | OVERFLEX 6cm | OVERFLEX 8cm |
|----------------------------|--------------|--------------|
| Edge overlays | 6cm | 8cm |
| Overall width | 8cm | 10cm |
| Width overlapping the edge | 6cm | 8cm |
| Length | 100cm | 100cm |
| Dimensional tolerance | ± 2% | ± 2% |



Production:
Barnisław 44
72-001 Barnisław

Sales Office:
Opatkowicka 10b/15
30-499 Cracow

Infoline: **720-850-640**



Manufacturer of safety surfaces



Application:

- ✓ Playgrounds
- ✓ Sports facilities
- ✓ Outdoor gyms
- ✓ Communication paths
- ✓ and other

Advantages of Proflex soft pads:

- ✓ They ensure the safety of children while playing
- ✓ Frost resistant
- ✓ Water permeable
- ✓ Quick and easy installation with polyurethane glue
- ✓ High thermal resistance
- ✓ High mechanical strength
- ✓ Wide range of colors (black, red, green, grey, blue)
- ✓ High resistance to UV radiation

Guarantee period:

Proflex overlays - 24 months

Terms of warranty:

- 1. The warranty does not cover damage to the product during transport and unloading, unless the transport in accordance with the contract is covered by the terms of sale agreed by the parties, and the receipt takes place at the ordering party's headquarters or at the construction site.
- 2. The warranty does not cover damage to overlays caused by reasons beyond the manufacturer's control, such as::
- mechanical, chemical, thermal damage, chemical and organic contamination
- damage caused by improper maintenance, use of chemicals to remove dirt and frost
- repairs and modifications made by unauthorized persons
- improper operation, in particular subjecting to excessive point loads caused by improper footwear (corks, spikes, spikes) or by motor vehicles.
- 3. An even change in the shade of the surface color under the influence of UV rays is not considered a material defect and cannot be a reason for recognizing a complaint.
- 4. The warranty does not cover surface abrasions of rubber overlays resulting from the natural wear of the surface under the influence of operation.

Production:
Barnisław 44
72-001 Barnisław

Sales Office:
Opatkowicka 10b/15
30-499 Cracow

Infoline: **720-850-640**



Manufacturer of safety surfaces

- 5. The warranty does not cover damage caused by vandalism or theft.
- 6. The warranty does not cover damage caused by long-term storage of stacked boards on pallets up to a height of more than 120 cm in unfavorable conditions such as rain or high temperature (ventilation of the board cross-section). Hence the additional recommendation to remove the packaging and store it in roofed rooms until installation.

The technical information contained in this data sheet is protected in accordance with Art. 72 K.C.

Production:
Barnisław 44
72-001 Barnisław

Sales Office: Opatkowicka 10b/15 30-499 Cracow

Infoline: 720-850-640